

Daniel Friedman - American Home Service Company—Aerobiology Laboratory

Indoor Air Investigations: Bioaerosols, Pollen, Mold, Mildew, Moisture. Surface & Air Sampling & Laboratory Analysis
 3 Willowbrook Hgts • Poughkeepsie NY • 12603-5707 845-463-0092 dfriedman@inspect-ny.com - InspectAPedia.com/sickhouse.htm
 American Industrial Hygiene Association AHIA #149982— American Society of Home Inspectors, Certified Member #0057

Field Sample Chain of Custody

| | | |
|---|----------------------------------|------------------|
| Client Name & Address to mail report | Site of Sample Collection | Collection Date |
| Address | Address | Project# |
| | | On Site From |
| | | To |
| Tel | Tel | Site Conditions |
| Email | | |
| Collected by | Received by | Processed by |
| Signature - Date | Signature - Date | Signature - Date |

| Sample# | Location HE=high exposure/complaint area LE=Low exposure/complaint area | Type A__Air/L ³ V=Vac T=Tape B=Bulk S=Swab-in ² | Process Hold | Description / Comments | Accompanying Field Photo # |
|---------|---|--|-----------------|------------------------|-------------------------------------|
| -1 | Check one HE__ LE__ | | | Conditions: | |
| -2 | HE__ LE__ | | | | |
| -3 | HE__ LE__ | | | | |
| -4 | HE__ LE__ | | | | |
| -5 | HE__ LE__ | | | | |
| -6 | HE__ LE__ | | | | |
| -7 | HE__ LE__ | | | | |

PLEASE DO NOT REQUIRE A SIGNATURE on packages sent to the lab -- If using Express Mail sign the box used for Waiver of Signature. Failure to follow this suggestion will delay processing of your sample and may result in the sample being returned to you without processing. If you are using the U.S. Post Office's Express Mail be sure to check and sign the [signature waiver box](#) on the mailing label. Otherwise the postal carrier will not leave your sample at our lab drop box.

For Sampling Instructions, fees, mailing instructions: InspectAPedia.com/sickhouse/bulksamp.htm

©2009 - 1984 Daniel Friedman all rights reserved