

Bosch Cooktop/Built-in Oven Approved Combination Guide

The following **Ovens, COOKTOPS AND DRAWERS** are approved to be installed in combination and the installation has been certified by CSA.

Built-In Ovens		Cooktops		
Conventional Ovens (1)	Steam Ovens (1)	Induction (1)	Electric (1)	Gas (1) *
HBL5351UC		NIT5068UC	NET8068UC	NGM8046UC
HBL5451UC		NIT5668UC, NIT5469UC	NET8068SUC	NGM5056UC
HBL8443UC		NIT8068UC, NIT8068SUC	NET8668UC	NGMP656UC
HBL8453UC		NIT8668UC, NIT8668SUC	NET8668SUC	NGM8656UC
HBL8451UC		NITP068UC, NITP068SUC	NETP068SUC	NGM8646UC
HBL8463UC		NITP668UC, NITP668SUC	NETP668SUC	NGM5656UC
HBL8461UC		NIT8069UC, NIT8069SUC	NEM5066UC	NGMP056UC
HBL8442UC		NIT8669UC, NIT8669SUC	NEM5666UC	NGM8056UC
HBLP451UC		NITP069UC, NITP069SUC		Gas (2) *
HBLP451LUC		NITP669UC, NITP669SUC		NGM5456UC
HBLP451RUC				Gas (3) *
HBN5451UC				NGMP077UC
HBN8451UC				NGMP677UC
Conventional Ovens (2)				NGM8657UC
HBE5451UC				NGM8057UC
Conventional Ovens (3)				
HBE5452UC				

The following **Ovens, COOKTOPS AND DRAWERS** are approved by BSH Home Appliances Corporation to be installed in combination. These products, identified in the table below, may be installed in combination.
The suitability of the combination has not been evaluated by CSA.

Built-In Ovens		Cooktops		
Conventional Ovens (2)	Speed Oven (1)	Induction (1)	Electric (1)	Gas (1) *
HBE5453UC	HMCP0252UC	NIT5068UC	NET8068UC	NGM8046UC
Built-In Microwave (1)	HMC80242UC	NIT5668UC, NIT5469UC	NET8068SUC	NGM5056UC
HMB57152UC	HMC80252UC	NIT8068UC, NIT8068SUC	NET8668UC	NGMP656UC
HMB50162UC	HMC87152UC	NIT8668UC, NIT8668SUC	NET8668SUC	NGM8656UC
HMB50152UC	HMC80152UC	NITP068UC, NITP068SUC	NETP068SUC	NGM8646UC
Storage Drawer (1)	Speed Oven (2)	NITP668UC, NITP668SUC	NETP668SUC	NGM5656UC
HSD5051UC	HMC54151UC	NIT8069UC, NIT8069SUC	NEM5066UC	NGMP056UC
Drawer Microwave (1)	Warming Drawer (1)	NIT8669UC, NIT8669SUC	NEM5666UC	NGM8056UC
HMD8053UC	HWD5051UC	NITP069UC, NITP069SUC		Gas (2) *
HMD8451UC	HWD5751UC	NITP669UC, NITP669SUC		NGM5456UC
				Gas (3) *
				NGMP077UC
				NGMP677UC
				NGM8657UC
				NGM8057UC


*Gas cooktops may require a 3/8" street elbow (not provided) at the regulator outlet for installation above built-in oven.

COOKTOPS that are not listed above must be approved under local codes and/or by the local authority having jurisdiction.
Please note: For the latest updates to the approved oven/cooktop combination refer to the website listed in your appliance's installation instructions.

Built-in Oven/Cooktop Combination Installation

Refer to the product installation guide for all other measurements

Oven Installation Requirements				Cooktop Installation Requirements (wall spacing)				
When installing an oven or oven with a drawer in combination with a cooktop, a minimum distance between the cabinet floor and countertop (B) is required. Reference the table for dimensions. Refer to the oven installation guide for all other measurements.								
Oven Type	A Inches (mm)	B min. Inches (mm)	C max. Inches (mm)	Gas Cooktop (1)	Gas Cooktop (2)	Gas Cooktop (3)	Electric Cooktop (1)	Induction Cooktop (1)
Conventional Oven (1)	28 ¼ (718)	31 ¼ (794)	4 ¾ (121)	D: 24 (610) min E: 24 (610) min	D: 3 (76) min E: 4 (102) min	D: 24 (610) min E: 24 (610) min	Reference Product Installation Instructions	
Conventional Oven (2)	23 (584)	27 ¾ (705)	8 ¼ (210)	D: 24 (610) min E: 24 (610) min	D: 3 (76) min E: 4 (102) min	D: 24 (610) min E: 24 (610) min	Reference Product Installation Instructions	
Conventional Oven (3)	23 ⅙ ₁₆ (585)	27 ⅙ ₁₆ (707)	8 ⅙ ₁₆ (208)	D: 24 (610) min E: 24 (610) min	D: 3 (76) min E: 4 (102) min	D: 24 (610) min E: 24 (610) min	Reference Product Installation Instructions	
Steam Oven (1)								
Steam Oven (1) with 4” storage drawer								
Speed Oven (2)	17 ¾ (450)	22 ½ (572)	13 ½ (343)	D: 24 (610) min E: 24 (610) min	D: 3 (76) min E: 4 (102) min	Reference Product Installation Instructions		
Microwave (1) Speed Oven (1)	19 ¼ (488)	24 (609)	12 (306)	D: 24 (610) min E: 24 (610) min	D: 3 (76) min E: 4 (102) min	Reference Product Installation Instructions		
Microwave/ Speed Oven (1) with Warming Drawer (1)	28 ¼ (718)	31 ¼ (794)	4 ¾ (121)	D: 24 (610) min E: 24 (610) min	D: 3 (76) min E: 4 (102) min	Reference Product Installation Instructions		
Drawer Microwave (1)	14 ⅙ ₁₆ (376)	20 (508)	16 (406)	D: 24 (610) min E: 24 (610) min	D: 3 (76) min E: 4 (102) min	Reference Product Installation Instructions		



Guide des combinaisons approuvées de tables de cuisson et fours encastrés de Bosch

Les **FOURS, TABLES DE CUISSON ET TIROIRS** suivants
sont approuvés pour une installation en combinaison certifiée par le CSA.

Fours encastrés		Tables de cuisson		
Fours conventionnels (1)	Fours à vapeur (1)	Induction (1)	Électricité (1)	Gaz (1) *
HBL5351UC		NIT5068UC	NET8068UC	NGM8046UC
HBL5451UC		NIT5668UC, NIT5469UC	NET8068SUC	NGM5056UC
HBL8443UC		NIT8068UC, NIT8068SUC	NET8668UC	NGMP656UC
HBL8453UC		NIT8668UC, NIT8668SUC	NET8668SUC	NGM8656UC
HBL8451UC		NITP068UC, NITP068SUC	NETP068SUC	NGM8646UC
HBL8463UC		NITP668UC, NITP668SUC	NETP668SUC	NGM5656UC
HBL8461UC		NIT8069UC, NIT8069SUC	NEM5066UC	NGMP056UC
HBL8442UC		NIT8669UC, NIT8669SUC	NEM5666UC	NGM8056UC
HBLP451UC		NITP069UC, NITP069SUC		Gaz (2) *
HBLP451LUC		NITP669UC, NITP669SUC		NGM5456UC
HBLP451RUC				Gaz (3) *
HBN5451UC				NGMP077UC
HBN8451UC				NGMP677UC
Fours conventionnels (2)				NGM8657UC
HBE5451UC				NGM8057UC
Fours conventionnels (3)				
HBE5452UC				

BSH Home Appliances Corporation a approuvé l'installation en combinaison des **FOURS, TABLES DE CUISSON ET TIROIRS** suivants. Ces produits, répertoriés dans le tableau ci-dessous, peuvent être installés en combinaison.
Le CSA n'a pas évalué l'adéquation des combinaisons.

Fours encastrés		Tables de cuisson		
Fours conventionnels (2)	Four à cuisson rapide (1)	Induction (1)	Électricité (1)	Gaz (1) *
HBE5453UC	HMCP0252UC	NIT5068UC	NET8068UC	NGM8046UC
Four à micro-ondes (1)	HMC80242UC	NIT5668UC, NIT5469UC	NET8068SUC	NGM5056UC
HMB57152UC	HMC80252UC	NIT8068UC, NIT8068SUC	NET8668UC	NGMP656UC
HMB50162UC	HMC87152UC	NIT8668UC, NIT8668SUC	NET8668SUC	NGM8656UC
HMB50152UC	HMC80152UC	NITP068UC, NITP068SUC	NETP068SUC	NGM8646UC
Tiroir de rangement (1)	Four à cuisson rapide (2)	NITP668UC, NITP668SUC	NETP668SUC	NGM5656UC
HSD5051UC	HMC54151UC	NIT8069UC, NIT8069SUC	NEM5066UC	NGMP056UC
Four à micro-ondes tiroir (1)	Tiroir chauffant (1)	NIT8669UC, NIT8669SUC	NEM5666UC	NGM8056UC
HMD8053UC	HWD5051UC	NITP069UC, NITP069SUC		Gaz (2) *
HMD8451UC	HWD5751UC	NITP669UC, NITP669SUC		NGM5456UC
				Gaz (3) *
				NGMP077UC
				NGMP677UC
				NGM8657UC
				NGM8057UC

*Les tables de cuisson au gaz peuvent nécessiter un coude de 3/8" (9,5 mm) (non fourni) à la sortie du régulateur pour une installation au-dessus d'un four encastré.

LES TABLES DE CUISSON qui ne figurent pas dans la liste ci-dessus doivent être approuvés en vertu des réglementations locales et/ou par l'autorité locale compétente.

Remarque : pour les plus récentes mises à jour concernant les combinaisons four/table de cuisson approuvées, veuillez consulter le site Web indiqué dans les instructions d'installation de votre appareil.

Installation en combinaison d'un four encastré et d'une table de cuisson

Consultez le manuel d'installation de l'appareil pour toutes les autres mesures

Critères d'installation pour le four	Critères d'installation pour la table de cuisson (dégagement latéral)				
--------------------------------------	---	--	--	--	--

Lors de l'installation d'un four ou d'un four avec tiroir combiné à une table de cuisson, il est nécessaire de conserver une distance minimale entre le bas de l'armoire de cuisine et le comptoir (B). Consultez le tableau pour les dimensions. Consultez le manuel d'installation du four pour toutes les autres mesures.

Type de four	A Pouces (mm)	B Pouces min. (mm)	C Pouces max. (mm)	Table de cuisson au gaz (1)	Table de cuisson au gaz (2)	Table de cuisson au gaz (3)	Table de cuisson électrique (1)	Table de cuisson à induction (1)
Four conventionnel (1)	28 ¼ (718)	31 ¼ (794)	4 ¾ (121)	D: 24 (610) min E: 24 (610) min	D: 3 (76) min E: 4 (102) min	D: 24 (610) min E: 24 (610) min	Produit de référence Instructions d'installation	
Four conventionnel (2)	23 (584)	27 ¾ (705)	8 ¼ (210)	D: 24 (610) min E: 24 (610) min	D: 3 (76) min E: 4 (102) min	D: 24 (610) min E: 24 (610) min	Produit de référence Instructions d'installation	
Four conventionnel (3)	23 ⅞ (585)	27 ⅞ (707)	8 ⅞ (208)	D: 24 (610) min E: 24 (610) min	D: 3 (76) min E: 4 (102) min	D: 24 (610) min E: 24 (610) min	Produit de référence Instructions d'installation	
Four à vapeur (1)								
Four à vapeur (1) avec tiroir de rangement de 4" (102 mm)								
Four à cuisson rapide (2)	17 ¾ (450)	22 ½ (572)	13 ½ (343)	D: 24 (610) min E: 24 (610) min	D: 3 (76) min E: 4 (102) min	Produit de référence Instructions d'installation		
Four à micro-ondes (1) Four à cuisson rapide (1)	19 ¼ (488)	24 (609)	12 (306)	D: 24 (610) min E: 24 (610) min	D: 3 (76) min E: 4 (102) min	Produit de référence Instructions d'installation		
Four à micro-ondes à cuisson rapide (1) avec tiroir chauffant (1)	28 ¼ (718)	31 ¼ (794)	4 ¾ (121)	D: 24 (610) min E: 24 (610) min	D: 3 (76) min E: 4 (102) min	Produit de référence Instructions d'installation		
Tiroir Four à micro-ondes (1)	14 ⅞ (376)	20 (508)	16 (406)	D: 24 (610) min E: 24 (610) min	D: 3 (76) min E: 4 (102) min	Produit de référence Instructions d'installation		

