

Rain Soft®

WATER TREATMENT
SYSTEMS

CLICK ANYWHERE on THIS PAGE
TO RETURN to Rain-Soft WATER
SOFTENERS at
InspectApedia.com

**WATER TREATMENT SYSTEM
14 DAY TIMER**

**Owners
Manual**

AMAZON



WATER TREATMENT SYSTEMS

ENJOYING YOUR NEW WATER TREATMENT SYSTEM

You now have the finest water treatment system made. It will give you years of soft, crystal clear water, with only occasional attention.

To make using, operating, and maintaining your unit as enjoyable as possible, please read this Owners Manual. It contains all the information you need, presented in a clear, concise manner.

This unit was shipped from the factory ready for operation, and will start delivering filtered, treated water immediately.

USING CONDITIONED WATER

AT THE BATHROOM SINK: Use far less soap! Two or three rubs with the soap is enough. After rinsing, you may think that your skin still feels slick or "soapy". Actually, this feeling is not soap at all, but the natural feeling of *clean* skin! When your skin dries, it will feel soft and moist - like it had a cream lotion treatment!

IN THE BATH OR SHOWER: Use a bath mat to guard against slips and falls. With conditioned water, there is no sticky hard water scum to provide traction.

IN THE KITCHEN: Try using less coffee. You'll find less is required, and your coffee will be smooth and rich. If you do dishes by hand, try using a mild, pure soap and see the difference it makes on you hands. If you have an automatic dishwasher, try different cleaning products to find the one that does the best spotless job.

IN THE LAUNDRY: Here again, use less cleaning product. If you are now using a detergent, try using a genuine soap.

OPERATING YOUR UNIT

When your unit is properly adjusted to your water hardness and use of water, the only further attention regularly required is the addition of salt. For maximum satisfaction, add salt before the salt container is empty. Two kinds of salt can be used:

1. Water softener block salt is pure salt pressed into the shape of cattle blocks. It is recommended because it is low in cost, pure, and will not cake.
2. Rock salt is mined and crushed. It is low in cost, but contains impurities which deposit in the brine tank, and must be cleaned out eventually. Use the largest size rock salt obtainable in your area, preferably #2 rock


DO NOT USE compressed granulated salt products such as "pellets", "ovals", "cubes", or "nuggets", as they will lose their shape and compress into a solid mass. Do not use granulated or flake salt.

Astro owners only: Water softener salt tablets are pure salt pressed into candy mint shape. They are recommended for Astro models only.

From time to time, you may also need to reset the Timer. If you change from Standard to Daylight Savings Time, you may want to reset the timer, just as you do the other clocks in your home. If your water hardness changes - or if your water usage changes - you may want to change the number of regenerations per week.

If there is iron in the water, it is wise to provide preventive maintenance by using block salt containing an iron remover. Or, you can add iron remover resin cleaner when you add salt (*or more often if necessary*) to prevent the treatment media from becoming iron fouled. **USE CAUTION AND FOLLOW INSTRUCTIONS CAREFULLY IF YOU USE A CLEANER CONTAINING NITRIC ACID OR OTHER STRONG OXIDIZING AGENT.**

OPERATION OF THE TIMER



HOW TO SET TIMER TO THE CORRECT TIME OF DAY

Pull the yellow time dial out, and turn it in either direction until the present time of day is opposite the TIME OF DAY arrow.

HOW TO SET TIMER TO THE CORRECT DAY OF THE WEEK

Turn the Calendar Dial counter-clockwise until (either) present day of the week is opposite the DAY arrow.

HOW TO CHANGE THE NUMBER OF REGENERATIONS PER WEEK

To increase the number of regenerations per week, pull out an additional Regeneration Tab. Tab should pull out 1/16" inch.

To decrease the number of regenerations per week, push in one of the Regeneration Tabs. Tab should push in 1/16" inch.

| Regenerations needed per week. | 1 | 2 | 3 | 4 | 5 | 6 | 7 |
|----------------------------------|------|-----------|----------------|---------------------|-----------------------|----------------|-----|
| Pull out these regeneration tabs | Mon. | Mon. Thu. | Mon. Wed. Sat. | Mon. Wed. Fri. Sat. | All Except Tue. & Fri | All Except Wed | All |

HOW TO CHANGE THE TIME OF REGENERATION

Loosen the screw in the center of the Time Dial. Turn the black plate in either direction until the desired time of regeneration shows in the window. Tighten the screw.

HOW TO REGENERATE MANUALLY

Slowly turn the Circuit Timer Knob two clicks. In 4 to 7 minutes, regeneration will begin. Unit will complete regeneration automatically and return to service. Normal regeneration cycle will resume automatically.