Please read instructions before co	-1760	6	3-200	02	i i i i i i i i i i i i i i i i i i i	Form Approved. 1	OMB N	o 2070-00	060. Approval expires 05-31-98	f,
ŞEPA	Environmental	ed States Protection A ton, DC 20460	gency	X		Registratio Amendmer Other	n		OPP Identifier Number	
		Application	for Pestici	de - Sec	tio	n I				
1. Company/Product Num 1021-1760	ber		2. EPA Produ George La	_	∍r		3. Pi	oposed	Classification	
4. Company/Product (Nan EVERCIDE® Outdoo	ne) or Insect Control - 2790		PM#		13		<u> </u>	None	Restricted	
MCLAUGHLIN GORM 8810 TENTH AVENU MINNEAPOLIS, MN]	milar or ider No.		ccordance with			tion 3(c)(3)(b)(i), my ng to:	
CHeck it this	; is a flew address		Section - I				····			
	t - Explain below. on in response to Agency let	tter dated	Section - 1			Final printed I Agency letter "Me Too" App	date	t	NOTIFICATION	
✓ Notification	- Explain below.			!		Other - Expla	in bel	ow.	JUN 3 - 2002	
			Section - II	11						
1. Material This Product W	/ill Be Packaged In:									
Child-Resistant Packaging Yes* No	Unit Packaging Yes No If "Yes"	No. per	Water Soluble	e Packagin Yes No	ng	No. per	2.	Metal Plastic	_	
*Certification must be submitted	Unit Packaging wgt.	container	Package wgt.			container		Paper Other	(Specify)	
3. Location of Net Content Label	s information Container	4. Size(s) Ret	tail Container			5. Location of	On L	abel	ions accompanying product	
6. Manner in Which Łabel	is Affixed to Product	Lithograph Paper glued Stenciled		[Other				
			Section - I\	V						
1. Contact Point (Complete	e items directly below for ide	ntification of ind	lividual to be c	ontacted, if	nec	cessary, to pro	cess	this app	olication.)	
Name JULIE B. SCHLEKAU		Title Registratio	Registration Specialist				Telephone No. (Include Area Code) (763) 544-034† * * * * * * * * * * * * * * * * * * *			
•	ents I have made on this form knowingly false or misleading w.							* * * * *	6. Date Application Received (Stamped)	
2. Signature - Ww B Schletan			Registration Specialist				••	•••		
4. Typed Name	1	5. Date 5/22/2002							••••	





EVERCIDE® OUTDOOR INSECT CONTROL - 2790

NOTIFICATION

JUN 3 - 2002

8810 Tenth Avenue N. / Minneapolis, Minnesota 55427-4319 U.S.A.

TELEPHONE (763) 544-0341

[] Denotes optional language

- For Use on Residential Areas Such as: Lawns, Ornamentals, Porches, Patios, Foundations, Wood Piles, Stored Lumber, Trench Around Building Foundation
- CONTROLS WOOD DESTROYING INSECTS
- Concentrated, Water Dilutable Product to control wood destroying, home invading and lawn insects
- Aids in Reducing Annoyance from Mosquitoes and Other Flying Insects
- · Controls Wood Destroying Insects such as Termites, Carpenter Ants, Carpenter Bees, Powder Post Beetles, Deathwatch Beetles
- Kills Home Invading Pests Outdoors such as Ants, Beetles, Box Elder Bugs, Cockroaches, Crickets, Earwigs, Fleas, Ticks, Scorpions and other
 crawling and flying insects
- * Kills Deer Ticks that may Transmit Lyme Disease
- Treats 22 linear feet for Termites
- For homeowner post construction use only
- Effective as an outdoor home barrier spray against listed crawling pests
- · Kills Ants (including Fire Ants) & other home invading pests

Optional wording when Booklet Label is used [OPEN Resealable Label for Directions & Precautions PRESS to reuse]

ACTIVE INGREDIENT:

- * Permethrin (3-phenoxyphenyl)methyl(±)-cis,trans-3-(2,2-dichloroetheynl)-2,2dimethylcyclopropanecarboxylate 9.00%
 OTHER INGREDIENTS 91.00%
 100.00%
 - Cis,trans ratio: Min. 35% (±) cis and max 65% (±) trans
 - ** Contains Petroleum Distillate

EVERCIDE® - Registered trademark of McLaughlin Gormley King Co.

KEEP OUT OF REACH OF CHILDREN

CAUTION

F SWALLOWED:	•	IMMEDIATELY contact your local Poison Control Center.	
		Vomiting should only be induced under the direction of a physician or a Poison Control Cer	nter.
	•	If spontaneous vomiting occurs, have victim lean forward with head down to avoid breathin mouth and administer more water.	
	•	IMMEDIATELY transport victim to emergency facility.	
	•	Do not give anything by mouth to an unconscious person.	
IF IN EYES:		Hold eye open and rinse slowly and gently with water for 15-20 minutes.	
		Remove contact lenses, if present, after the first 15 minutes, then continue rinsing eye.	
	•	Call a poison control center or doctor for treatment advice.	a water or
IF ON SKIN		Take off contaminated clothing.	u u 'u ul
	•	Rinse skin immediately with plenty of water for 15-20 minutes.	
		Call a poison control center or doctor for treatment advice.	

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Harmful if swallowed, absorbed through skin or inhaled. Causes eye irritation. Avoid contact with eyes, skin or clothing. Avoid preathing vapor or spray mist. Wash thoroughly with soap and water after handling and before eating, drinking or using tobacco. Remove and wash contaminated clothing before reuse.

ENVIRONMENTAL HAZARDS

This pesticide is extremely toxic to fish. Use with care when applying in areas adjacent to any body of water. Do not apply directly to water, or to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not apply when weather conditions favor drift from treated areas. Do not contaminate water when cleaning equipment or disposing of equipment washwaters.

This product is highly toxic to bees exposed to direct treatment or residues on crops or weeds. Do not apply EVERCIDE® Outdoor Insect Control - 2790, or allow it to drift to crops or weeds on which bees are actively foraging. Additional information may be obtained from Cooperative Extension Service. Apply this product only as specified on this label.

PHYSICAL OR CHEMICAL HAZARDS

Do not use or store near heat or open flame.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

GENERAL INFORMATION:

1 Tablespoon (Tbs) = 3 teaspoons (tsp) 1 fl oz = 2 Tbs 4 fl oz = $\frac{1}{2}$ cup

SHAKE WELL BEFORE USE

Specially Formulated for residential use. DO NOT USE INSIDE DWELLINGS.

This is an easy to apply product that can be used to control wood destroying, home-invading and lawn insects. This product can be used for treatment of localized areas of wooden structures, wood piles and stored lumber to control wood infesting borers, carpenter ants and carpenter bees. Do not spray animals with this product. People and pets should not be allowed in treated area until after spray has dried.

HOW TO APPLY:

This product can be applied using a hose-end sprayer, pump [up] [style] pressure sprayer or by watering [sprinkling] can. Carefully dilute the recommended amount of concentrate and water according to the directions found under the desired insect to control. Using a clean sprayer, apply insecticide when insects first appear and repeat as necessary. Flush sprayer or watering can with clean water after each use.

LAWN PESTS

Ants, Armyworm, Brown Dog Ticks, Chinch Bugs, Crickets, Cutworms, Deer Ticks, Fleas, Grasshoppers, Japanese Beetle Grubs, Mole Crickets, Pillbugs and Millipedes. Home lawns should not be longer than 3 inches at the time of application. Use 4 fluid ounces of concentrate to 5 gallons of water to cover 800 square feet. For heavy infestations repeat application after 2 weeks.

FOR SURFACE INSECT CONTROL (Armyworm, Cutworms, Fleas, etc.), delay watering or mowing for 12 to 24 hours for optimum control of surface feeding insect pests.

THATCH INHABITATING INSECT CONTROL (Chinch Bugs, Pillbugs, etc.): Lightly irrigate (water) after application with up to ½ inch of water to move the Evercide® Outdoor Insect Control into the thatch layer. If irrigation is not available, then use high water application rates for optimum results.

SUBSURFACE INSECT CONTROL (Mole Crickets, Grubs, etc.): Apply to lawns wet with dew, rain or irrigation. Water-in immediately after application with ¼ to ½ inch of water for optimum results.

ORNAMENTALS IN RESIDENTIAL LANDSCAPED AREAS (Including Trees, Shrubs, Flowers, Evergreens, Foliage Plants and Ground Covers). Ants, Aphids, Bagworm, Beet Armyworm, Cabbage Looper, Citrus Thrips, Fungus Gnat, Heliothis spp., Japanese Beetles, Lace Bug, Leaf Feeding Caterpillars, Leafminers, Leafhoppers, Leafrollers, Lygus Bugs, Mealybugs, Root Weevils (Adult), Whiteflies. Use 5 teaspoons of concentrate to 1 gallon of water. Apply sufficient volume of water to adequately cover foliage. Apply product when insects appear or feeding is noticed. Before treating a large number of plants, treat a few plants and observe prior to full scale application. Direct application to blooms may cause browning of petals. Repeat the application as needed to maintain control.

FIRE ANT MOUNDS

Add 5 teaspoons of concentrate to 1 gallon of water. Using a sprinkling can, apply 1 or 2 gallons evenly over and around each mound ma 4 ft. diameter circle until it is wet. Apply gently to avoid disturbing ants and causing them to move and form new mounds. For best results, apply in cool weather, such as in early morning or late evening hours, but not in the heat of the day. Treat new mounds as they appear.

[TREATMENT FOR] HOME-INVADING PESTS - OUTDOORS

Including Ants, Asian Cockroaches, Bees, Beetles, Box Elder Bugs, Centipedes, Clover Mites, Cockroaches, Crickéts, Eartvigs, Elm Leaf Beetles, Firebrats, Fleas, Flies, Ground Beetles, Gypsy Moths (adult & caterpillar) Hornets, House Flies, Millipedes, Mosquitoes, Scorpions, Silverfish, Sowbugs, Spiders (including Black Widow & Brown Recluse Spiders), Ticks, Wasps, Yellowjackets. For use in hose-end sprayer tank-type sprayer or sprinkling can: Use 5 teaspoons of concentrate to one gallon water to cover 300 sq. ft or 60 linear feet. To keep insects from critering the house, spray a 3 ft. band of soil around the house next to the foundation. Also spray the foundation of the house to a height of 2 ft. Also spray walks, garbage cans & garbage areas, window frames and doorways, porches & patios, under shrubs & trees but avoid spraying foliage. DO NOT treat pets with this product. DO NOT use this product indoors

MOSQUITOES - OUTDOORS

Mosquitoes coming to rest on areas treated for the control of lawn and home-invading pests will be killed for varying periods of time after application, depending on exposure of treated areas to weathering conditions.

TREATMENT FOR WOOD DESTROYING PESTS - OUTDOORS

Carpenter Ants, Carpenter Bees, Powder Post Beetles, False Powder Post Beetles, Deathwatch Beetles, Old House Borer, Ambrosia Beetle. Treat localized areas of infested wood. Add 7 ¼ fl. Oz (14 ½ Tbs) to one gallon of water.

HOW TO APPLY

Fences and Outdoor Wood Surfaces of Building: Apply evenly on wood surfaces with a paint brush. Allow to dry and repeat to ensure the insecticide soaks into the wood.

Wood Piles and Stored Lumber. Use a hose-end or tank sprayer or sprinkling can to deliver a coarse drenching spray. Do not apply to firewood.

[TREATMENT FOR] SUBTERRANEAN FERMITES - OUTDOORS

For outdoor, homeowner post-construction use only. DO NOT use under slabs, in crawl spaces or indoors. If termites are found within the house or structure, contact a licensed pest control operator for treatment.

MIXING INSTRUCTIONS FOR TERMITE: Add 7 ¼ fl. Oz (14 ½ Tbs) to one gallon of water for each 5 linear feet. (1 quart of EVERCIDE® Outdoor Insect Control - 2790 makes 4.4 gallons of dilution solution and covers 22 linear feet.) (1/2 gallon of EVERCIDE® Outdoor Insect Control - 2790 makes 8.8 gallons of diluted solution and covers 44 linear feet)

HOW TO APPLY

TRENCH TREATMENT

Remove all wood debris and wood forms. Poured Concrete Foundations: Dig a trench next to the foundation 6 inches wide and 4 inches deep or down to the top of the footing, which ever is less.

Brick & Block Foundations: Dig a trench 6 inches wide and 12 inches deep. To avoid shifting your house foundation, never dig below the top of the footing. Mix diluted product into soil as soil is replaced in the trench.

FENCE POSTS:

Using a sprinkling can, pour ½ gallon of diluted product into fence post hole and add another ½ gallon to the soil when filling the hole so that all the fill soil is treated to form a protective barrier.

WHEN TO APPLY

Reapplication for subterranean termites should only be made when there has been a disruption of the chemical barrier in the soil due to construction, excavation, landscaping, etc. Reapplication should be made as a spot treatment to those areas. Annual reapplication of entire premises must be avoided

IMPORTANT

DO NOT treat structures that contain disterns or wells. Soil in the vicinity of wells, disterns or ponds should not be treated. For those situations, contact your County Cooperative Extension Agent or consult a commercial pest control service.

DO NOT treat soil that is water saturated or frozen, or in any conditions where run-off or movement from the treatment area (site) is likely to occur,

DO NOT apply while it is raining

DO NOT use on pets.

DO NOT use on edible or ornamental plants. Spray drift onto these plants should be rinsed off immediately with water.

STORAGE AND DISPOSAL

<u>PROHIBITIONS</u>: Do not contaminate water, food, or feed by storage and disposal. Open dumping is prohibited. Do not reuse empty container.

STORAGE: Keep container closed when not in use. Do not store near food or feed. Protect from freezing. In case of spill or leak on floor or paved surfaces, soak up with sand, earth, or synthetic absorbent. Remove to chemical waste area.

<u>PESTICIDE DISPOSAL</u>: If you no longer wish to use this product, give it to a friend who will use it, offer it to a garden club, or call your local solid waste agency for disposal instructions. Never pour pesticides down the toilet, drain, into the gutter or on the ground. Unless instructed otherwise, you may discard the product in your trash.

CONTAINER DISPOSAL: Do not reuse empty container. Do not rinse unless required for recycling. Use rinsate for product dilution. Place container in trash or offer for recycling, if recycling option exists in your area.

NET CONTENTS ______ Manufactured by: Mc LAUGHLIN GORMLEY KING COMPANY 8810 Tenth Avenue North Minneapolis, MN 55427 Made in U.S.A EPA Est. No. 1021-MN-2

EPA Reg No 1021-1760

EVERCIDE® OUTDOOR INSECT CONTROL - 2790

NOTIFICATION

JUN 3 - 2002

[] Denotes optional language

- For Use on Residential Areas Such as: Lawns, Ornamentals, Porches, Patios, Foundations, Wood Piles, Stored Lumber, Trench Around Building Foundation
- CONTROLS WOOD DESTROYING INSECTS
- · Concentrated, Water Dilutable Product to control wood destroying, home invading and lawn insects
- Aids in Reducing Annoyance from Mosquitoes and Other Flying Insects
- Controls Wood Destroying Insects such as Termites, Carpenter Ants, Carpenter Bees, Powder Post Beetles, Deathwatch Beetles
- Kills Home Invading Pests Outdoors such as Ants, Beetles, Box Elder Bugs, Cockroaches, Crickets, Earwigs, Fleas, Ticks, Scorpions and other crawling and flying insects
- Kills Deer Ticks that may Transmit Lyme Disease
- [Outdoor Termite & Carpenter Ant Concentrate with Self Mixing Concentrate Sprayer]
- Treats 22 linear feet for Termites
- For homeowner post construction use only
- Effective as an outdoor home barrier spray against listed crawling pests
- [9.0% Concentrate for use in hand-held sprayers or with attached Termite & Carpenter Ant Self-mixing Concentrate Sprayer]
- Kills Ants (including Fire Ants) & other home invading pests

Optional wording when Booklet Label is used [OPEN Resealable Label for Directions & Precautions PRESS to reuse]

ACTIVE INGREDIENT:

* Permethrin (3-phenoxyphenyl)methyl(±)-cis,trans-3-(2,2-dichloroetheynl)-2,2dimethylcyclopropanecarboxylate 9.00%
OTHER INGREDIENTS 91.00%

* Cis, trans ratio: Min. 35% (±) cis and max 65% (±) trans

** Contains Petroleum Distillate

EVERCIDE® - Registered trademark of McLaughlin Gormley King Co.

KEEP OUT OF REACH OF CHILDREN

CAUTION

IF SWALLOWED:	IMMEDIATELY contact your local Poison Control Center.				
	Vomiting should only be induced under the direction of a physician or a Poison Control Center.				
	 If spontaneous vomiting occurs, have victim lean forward with head down to avoid breathing mouth and administer more water. 	in vomitus, rinse			
	 IMMEDIATELY transport victim to emergency facility. 				
	 Do not give anything by mouth to an unconscious person. 	w w **			
IF IN EYES:	 Hold eye open and rinse slowly and gently with water for 15-20 minutes. 	-			
	 Remove contact lenses, if present, after the first 15 minutes, then continue rinsing eye. 				
	 Call a poison control center or doctor for treatment advice. 				
IF ON SKIN	Take off contaminated clothing.				
	Rinse skin immediately with plenty of water for 15-20 minutes,	~			
	 Call a poison control center or doctor for treatment advice. 				

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For information regarding medical emergencies or pesticide incidents, call the International Poison Center at 1-888-740-8712.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Harmful if swallowed, absorbed through skin or inhaled. Causes eye irritation. Avoid contact with eyes, skin or clothing. Avoid breathing vapor or spray mist. Wash thoroughly with soap and water after handling and before eating, drinking or using tobacco. Remove and wash contaminated clothing before reuse.

ENVIRONMENTAL HAZARDS

This pesticide is extremely toxic to fish. Use with care when applying in areas adjacent to any body of water. Do not apply directly to water, or to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not apply when weather conditions favor drift from treated areas. Do not contaminate water when cleaning equipment or disposing of equipment washwaters.

This product is highly toxic to bees exposed to direct treatment or residues on crops or weeds. Do not apply EVERCIDE® Outdoor Insect Control - 2790, or allow it to drift to crops or weeds on which bees are actively foraging. Additional information may be obtained from Cooperative Extension Service. Apply this product only as specified on this label.

PHYSICAL OR CHEMICAL HAZARDS

Do not use or store near heat or open flame

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

GENERAL INFORMATION:

1 Tablespoon (Tbs) = 3 teaspoons (tsp) 1 fl oz = 2 Tbs 4 fl oz = $\frac{1}{2}$ cup

SHAKE WELL BEFORE USE

Specially Formulated for residential use. DO NOT USE INSIDE DWELLINGS.

This is an easy to apply product that can be used to control wood destroying, home-invading and lawn insects. This product can be used for treatment of localized areas of wooden structures, wood piles and stored lumber to control wood infesting borers, carpenter ants and carpenter bees. Do not spray animals with this product. People and pets should not be allowed in treated area until after spray has dried.

LAWN PESTS

Ants, Armyworm, Brown Dog Ticks, Chinch Bugs, Crickets, Cutworms, Deer Ticks, Fleas, Grasshoppers, Japanese Beetle Grubs, Mole Crickets, Pillbugs and Millipedes. Home lawns should not be longer than 3 inches at the time of application. Use 4 fluid ounces of concentrate to 5 gallons of water to cover 800 square feet. For heavy infestations repeat application after 2 weeks.

FOR SURFACE INSECT CONTROL (Armyworm, Cutworms, Fleas, etc.), delay watering or mowing for 12 to 24 hours for optimum control of surface feeding insect pests.

THATCH INHABITATING INSECT CONTROL (Chinch Bugs, Pillbugs, etc.): Lightly irrigate (water) after application with up to ½ inch of water to move the Evercide® Outdoor Insect Control into the thatch layer. If irrigation is not available, then use high water application rates for optimum results.

SUBSURFACE INSECT CONTROL (Mole Crickets, Grubs, etc.): Apply to lawns wet with dew, rain or irrigation. Water-in immediately after application with ¼ to ½ inch of water for optimum results.

ORNAMENTALS IN RESIDENTIAL LANDSCAPED AREAS (Including Trees, Shrubs, Flowers, Evergreens, Foliage Plants and Ground Covers). Ants, Aphids, Bagworm, Beet Armyworm, Cabbage Looper, Citrus Thrips, Fungus Gnat, Heliothis spp., Japanese Beetles, Lace Bug, Leaf Feeding Caterpillars, Leafminers, Leafnoppers, Leafrollers, Lygus Bugs, Mealybugs, Root Weevils (Adult), Whiteflies. Use 5 teaspoons of concentrate to 1 gallon of water. Apply sufficient volume of water to adequately cover foliage. Apply product when insects appear or feeding is noticed. Before treating a large number of plants, treat a few plants and observe prior to full scale application. Direct application to blooms may cause browning of petals. Repeat the application as needed to maintain control.

FIRE ANT MOUNDS

Add 5 teaspoons of concentrate to 1 gallon of water. Using a sprinkling can, apply 1 or 2 gallons evenly over and around each mound in a 4 ft. diameter circle until it is wet. Apply gently to avoid disturbing ants and causing them to move and form new mounds. For best results, apply in cool weather, such as in early morning or late evening hours, but not in the heat of the day. Treat new mounds as they appear.

MOSQUITOES - OUTDOORS

Mosquitoes coming to rest on areas treated for the control of lawn and home-invading pests will be killed for varying periods of time after application, depending on exposure of treated areas to weathering conditions.

TREATMENT FOR SUBTERRANEAN TERMITES – OUTDOORS

For outdoor, homeowner post-construction use only. DO NOT use under slabs, in crawl spaces or indoors. If termites pre-found within the house or structure, contact a licensed pest control operator for treatment.

MIXING INSTRUCTIONS FOR TERMITE: Add 7 ¼ fl. Oz (14 ½ Tbs) to one gallon of water for each 5 linear feet. (1 quart of EVERCIDE® Outdoor Insect Control - 2790 makes 4.4 gallons of dilution solution and covers 22 linear feet.) (1/2 gallon of EVERCIDE® Outdoor Insect Control - 2790 makes 8.8 gallons of diluted solution and covers 44 linear feet)

HOW TO APPLY

TRENCH TREATMENT

Remove all wood debris and wood forms. Poured Concrete Foundations: Dig a trench next to the foundation 6 inches wide and 4 inches deep or down to the top of the footing, which ever is less.

Brick & Block Foundations Dig a trench 6 inches wide and 12 inches deep. To avoid shifting your house foundation, never dig below the top of the footing. Mix diluted product into soil as soil is replaced in the trench.

(Optional wording when product is packaged with Termite and Carpenter Ant Self-mixing sprayer) (Picture of Sprayer)

To use attached Self-mixing Concentrate Sprayer for Termites & Carpenter Ant Control

- 1 Connect a garden hose to the Self-mixing Spray Nozzle. Make sure the dial is in the "Off" position.
- Turn water on at faucet. Extend the hose to the farthest area to be treated and work back toward the faucet so you do not come in contact with the treated area.
- To begin spraying, point sprayer towards area to be treated and move the dial on the sprayer to the "On" position. Water will automatically mix with the product at 7 ½ fl. oz. per gallon of water. This is the correct rate for all Termite & Carpenter Ant applications. Under normal hose pressures, you will get 2 ½ to 3 ½ minutes of spray time before quart bottle is empty. For this reason, carefully measure and prepare the area to be treated before making the actual application.
- 4. The self-mixing applicator will give you approximately 3 minutes of spray time depending on water pressure in your hose. Monitor how quickly the concentrate is being used by watching the liquid level through the view stripe on the side of the bottle. For Termite applications, one quart will make 4.4 gallons of diluted spray. Quart bottle will treat 22 linear feet of trench. Remember to apply product to trench and also spray soil that is used to refill excavated trench.

FENCE POSTS:

Using a sprinkling can, pour ½ gallon of diluted product into fence post hole and add another ½ gallon to the soil when filling the hole so that all the fill soil is treated to form a protective barrier.

WHEN TO APPLY

Reapplication for subterranean termites should only be made when there has been a disruption of the chemical barrier in the soil due to construction, excavation, landscaping, etc. Reapplication should be made as a spot treatment to those areas. Annual reapplication of entire premises must be avoided.

TREATMENT FOR WOOD DESTROYING PESTS - OUTDOORS

Carpenter Ants, Carpenter Bees, Powder Post Beetles, False Powder Post Beetles, Deathwatch Beetles, Old House Borer, Ambrosia Beetle. Treat localized areas of infested wood. Add 7 ¼ fl. Oz (14 ½ Tbs) to one gallon of water.

HOW TO APPLY:

Fences and Outdoor Wood Surfaces of Building: Apply evenly on wood surfaces with a paint brush. Allow to dry and repeat to ensure the insecticide soaks into the wood.

Wood Piles and Stored Lumber: Use a hose-end or tank sprayer or sprinkling can to deliver a coarse drenching spray. Do not apply to firewood.

TREATMENT FOR HOME-INVADING PESTS - OUTDOORS

Including Ants, Asian Cockroaches, Bees, Beetles, Box Elder Bugs, Centipedes, Clover Mites, Cockroaches, Crickets, Earwigs, Elm Leaf Beetles, Firebrats, Fleas, Flies, Ground Beetles, Gypsy Moths (adult & caterpillar) Hornets, House Flies, Millipedes, Mosquitoes, Scorpions, Silverfish, Sowbugs, Spiders (including Black Widow & Brown Recluse Spiders), Ticks, Wasps, Yellowjackets. For use in [Dial Style] hose-end sprayer, tank-type sprayer or sprinkling can. [See chart on label for directions using additional application methods].

Use 5 teaspoons of concentrate to one gallon water to cover 300 sq. ft or 60 linear feet. To keep insects from entering the house, spray a 3 ft. band of soil around the house next to the foundation. Also spray the foundation of the house to a height of 2 ft. Also spray walks, garbage cans & garbage areas, window frames and doorways, porches & patios, under shrubs & trees but avoid spraying foliage. DO NOT treat pets with this product. DO NOT use this product indoors.

HOW TO APPLY:

This product can be applied using a [Dial Style] hose-end sprayer, pump [up] [style] pressure sprayer or by watering [sprinkling] can. Carefully dilute the recommended amount of concentrate and water according to the directions found under the desired insect control. Using a clean sprayer, apply insecticide when insects first appear and repeat as necessary. Flush sprayer or watering can with clean water after each use.

Additional Application Methods

Sprinkling Can or Bucket (Picture)	Shake well. Add the appropriate amounts of concentrate and water to sprinkling can or bucket. Mix well and apply	
Pump Style Sprayers (Picture)	Shake well. Add the appropriate amounts of concentrate and water to the sprayer tank. Close sprayer, shake well and pressurize. Adjust nozzle to a coarse spray pattern and apply. Occasionally re-pressurize the sprayer if needed to maintain a good spray pattern.	
Dial-Style Hose-End Sprayers (Picture)	Shake well. Fill sprayer jar with enough Concentrate to cover plants to be treated. Close Sprayer and set dial. TIP: The numbers on Dial-Style hose-end Sprayers are ounces of concentrate per gallon of spray. Attach sprayer to hose and apply.	40 at 40 at

Optional Chart when product is packaged with hose-end sprayer

Read The Label First!

Quick Facts

Pest	One Quart treats up to
Termites*	22 ft. of trench length
	4-5 fence posts
	*Using Self-mixing Concentrate
	Sprayer
Carpenter Ants*	Quart will deliver
Carpenter Bees*	4.4 gallons of spray
	Treat localized area of infested
	Wood
	*Using Self-mixing Concentrate Sprayer
Home Invading Pests	11,520 sq. ft.
	Using additional application
	Methods listed on label

IMPORTANT

DO NOT treat structures that contain disterns or wells. Soil in the vicinity of wells, disterns or ponds should not be treated. For those situations, contact your County Cooperative Extension Agent or consult a commercial pest control service.

DO NOT treat soil that is water saturated or frozen, or in any conditions where run-off or movement from the treatment area (site) is likely to occur.

DO NOT apply while it is raining.

DO NOT use on pets.

DO NOT use on edible or ornamental plants. Spray drift onto these plants should be rinsed off immediately with water.

STORAGE AND DISPOSAL

<u>PROHIBITIONS</u>: Do not contaminate water, food, or feed by storage and disposal. Open dumping is prohibited. Do not reuse empty container.

STORAGE: Keep container closed when not in use. Do not store near food or feed. Protect from freezing. In case of spill or leak on floor or paved surfaces, soak up with sand, earth, or synthetic absorbent. Remove to chemical waste area.

<u>PESTICIDE DISPOSAL</u>: If you no longer wish to use this product, give it to a friend who will use it, offer it to a garden club, or call your local solid waste agency for disposal instructions. Never pour pesticides down the toilet, drain, into the gutter or on the ground. Unless instructed otherwise, you may discard the product in your trash.

<u>CONTAINER DISPOSAL</u>: Do not reuse empty container. Do not rinse unless required for recycling. Use rinsate for product dilution. Place container in trash or offer for recycling, if recycling option exists in your area.

NET CONTENTS

Manufactured by:
Mc LAUGHLIN GORMLEY KING COMPANY
8810 Tenth Avenue North
Minneapolis, MN 55427
Made in U.S.A

EPA Reg. No. 1021-1760

EPA Est. No. 1021-MN-2

